



DOCUMENTATION REQUIRED WITH PERMIT APPLICATION

- Four (4) sets of Plans/Profile sections and details, drawn to scale, with 11"X17" as minimum paper size, including Right-of-Way dimensions and identifying property lines;
- Four (4) sets of the Engineer of Record, signed/sealed scaffolding component plan;
- \$500.00 minimum bond: determination to be made by Public Works Engineering Division;
- Current Certificate of Insurance Liability/Workmen's Compensation coverage to be approved by the City's Risk Management Division;
- Photographs of existing sidewalk/curb/gutter/asphalt pre-existing conditions.

OTHER DOCUMENTATION REQUIRED DURING THIS PROCESS

- Copy of Right of Way Permit and Plan on Job Site at all times during construction;

MINIMUM CONSTRUCTION STANDARDS FOR THIS PROJECT

The applicant must call Sunshine One Call of Florida at (800) 432-4770 and the Miami Beach Public Works Department at (305) 673-7080 to mark underground utilities located in the construction zone.

- Construction allowed in the Right-Of-Way only between 9:00 am-4:00 pm;
- Overhead protective covering to be 3/4" minimum CDX decking plywood
- Photocell operated overhead lighting spaced at 10' on center
- Visual screening to be attached to construction side of scaffolding component
- No anchoring/attachment into City's sidewalk

INSPECTIONS REQUIRED

- Sidewalk/curb and gutter Asphalt **FINAL**

**For inspections, meetings or any questions about requirements,
please contact the City of Miami Beach Public Works at (305) 673-7080.**

NOTES: