

ASME A17.7/CSAB44.7 PROCESS – f.

March 2013 by Chief Insp. Antona, City of Miami Beach

COMBINATIONS	APPLICATION FOR PERMIT	SHOP DRAWINGS	INSPECTION
<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;">1. Elevator fully complies with ASME A17.1</div>	<p>When submitting Application for Permit to Install produce with Affidavit of Code Compliance:</p> <ol style="list-style-type: none"> 1. Provide statement of compliance with ASME A17.1 for the code in effect at application 	<p>Where name of project, equipment data are shown:</p> <ol style="list-style-type: none"> 1. Provide statement of compliance with ASME A17.1 for the code in effect at application 	<ol style="list-style-type: none"> 1. Code Data Plate, per Section 8.9 of ASME A17.1 2. Job specific Final Shop Drawing as prepared by the manufacturer and approved by P.E. or Architect of Record. 3. On site MCP per Req. 8.6.1.2. Documentation must be complete
<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;">2. Elevator system partially complies with ASME A17.1 and partially complies with A17.7 for elevator systems, sub-systems, components or functions</div>	<p>When submitting Application for Permit to Install produce with Affidavit of Code Compliance:</p> <ol style="list-style-type: none"> 1. Statement of compliance with A17.1 in effect 2. Variance from A17.1 for items covered by CoC 3. Provide statement of compliance with A17.7 M.A. I-3.5.2 for items listed in each CoC by certificate number with description of product and name and address of manufacturer 3. Attach actual Certificate (s) of Conformance. Verify compliance with M.A. I-3.5.2 	<p>Where name of project, equipment data are shown:</p> <ol style="list-style-type: none"> 1. Provide statement of compliance with A17.1 2. Provide statement of compliance with A17.7 M.A. I-3.5.2; list each CoC by certificate number with description of product and name and address of manufacturer 	<ol style="list-style-type: none"> 1. Provide Code Data Plates with compliance to A17.1 2. Provide Code Data Plates with compliance to A17.7 M.A. I-6 to include certificate number 3. Each item covered by A17.7 shall also have a permanent Data Plate in compliance with A17.7 M.A. I-6 4. Post Variance (s) in Machine/Control Space 5. Provide MCP per A17.7 Req. 2.10.2 (g) and (h). Items included in (a) to (f) at the discretion of the AHJ.
<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;">3. Elevator fully complies with ASME A17.7</div>	<p>When submitting Application for Permit to Install produce with Affidavit of Code Compliance:</p> <ol style="list-style-type: none"> 1. Statement of Compliance A17.7 M.A. I-4.5.2 with certificate number, name and address of manufacturer 2. Attach Certificate of Conformance, verify compliance with M.A. I-4.5.2 3. No Variance required. 	<p>Where name of project, equipment data are shown:</p> <ol style="list-style-type: none"> 1. Provide statement of compliance with A17.7 M.A. I-4.5.2, list each CoC by certificate number, description of product, name and address of manufacturer 	<ol style="list-style-type: none"> 1. Provide Code Data Plates with compliance to A17.7, Section 2.11. Include certificate number per M.A. I-6 2. Each item covered by A17.7 shall have a permanent Data Plate per M.A. I-6 3. Provide MCP per A17.7 Req. 2.10.2 (g) and (h). Items included in (a) to (f) at the discretion of the AHJ