

Requirements for Public Pool Resurfacing (FBC 424.1.10)

Process/Permit no.: _____ Address: _____ Date: _____

When resurfacing a public pool, the pool contractor shall comply with the following items (2010 FBC Section 424.1.10):

Lip of the gutter must be leveled to within 1/4" between the highest and lowest point. FBC 424.1.10.1.1

Downward slope from the lip to the drain must be maintain as originally designed or increased but shall not exceed new construction standards. FBC 424.1.10.1.1

Downward slope from the lip to the drain must be maintain as originally designed or increased but shall not exceed new construction standards.

Tile step markings must be installed in compliance with FBC 424.1.2.5.3

Where applicable slope break markings must be installed as per FBC 24.1.2.2.3.2 and safety line must be installed 2ft before the marking. FBC 424.1.10.1.3

Depth markers and no-diving markers must be installed as per FBC 424.1.2.3. FBC 424.1.10.1.4

The pool ladder must have a 3 to 6 inch clearance from the pool wall. New cross-braced ladders shall be installed in place of non-cross-braced ladders in conformance with 424.1.2.5.1. FBC 424.1.10.1.5

No riser shall be higher than 12" and intermediate risers must be uniform.
FBC 424.1.10.1.6

When fiberglass is used to resurface a pool any existing tile shall not be covered by the fiberglass finish.
FBC 424.1.10.1.7

Recessed treads that protrude from the pool wall shall be removed and replaced with cross braced ladder or reconstructed to meet the requirements of section 424.1.2.5.2. FBC 424.1.10.1.9

Other Building Inspection 1190 must be scheduled BEFORE the pool is filled with water and *Building Final* 1199 must be scheduled AFTER the pool is filled with water.

I, _____, the qualifying agent # _____ for _____
(Name) (Contractor License Number) (Company Name)

shall comply with the items listed above (2010 FBC Section 424.1.10) for the above mentioned location.

Signature: _____

Print Qualifier Name: _____

State of Florida, County of Miami-Dade

Sworn to and subscribed before me this _____, Day of _____, 20_____

By _____ (SEAL) _____

Personally known or Produced Identification Type of Identification _____